

Příloha č. 2 – Assignmentový plán administrací CZE a SVK

Vysvětlivky k hlavičce: A – podepsáno ke dni 18. 12. 2020, B – podepsáno ke dni 6. 5. 2021, C – podepsáno ke dni 2. 6. 2021, D – odsouhlaseno ke dni podpisu dohody

CZE vysílače:

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|------------------|------|--------|----------------|----|----|----|-----------------|
| BRNO | 10A | 43 | ND | - | - | - | ok |
| BRNO | 10D | 43 | ND | - | - | - | ok |
| BRNO | 9D | 43 | ND | - | - | - | ok |
| BRNO | 12D | 43 | ND | - | ok | - | ok |
| BRNO | 7A | 43 | ND | - | - | - | ok |
| BRNO | 7C | 43 | ND | - | - | - | ok |
| BRNO | 9B | 43 | ND | - | - | - | ok |
| BRNO HADY | 10A | 40 | ND | - | - | - | ok |
| BRNO HADY | 10D | 40 | ND | - | - | - | ok |
| BRNO HADY | 12A | 40 | 70°-130°/3 dB | - | - | - | ok ³ |
| BRNO HADY | 12D | 40 | ND | - | - | ok | ok |
| BRNO HADY | 7A | 40 | ND | - | - | - | ok |
| BRNO HADY | 7C | 40 | ND | - | - | - | ok |
| BRNO HADY | 9B | 40 | ND | - | - | - | ok |
| BRNO HADY | 9D | 40 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 10C | 43 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 11B | 43 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 11C | 43 | ND | - | ok | - | ok |
| CESKE BUDEJOVICE | 12C | 43 | ND | - | - | ok | ok |
| CESKE BUDEJOVICE | 9A | 43 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 9B | 43 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 9C | 43 | ND | - | - | - | ok |
| CESKE BUDEJOVICE | 9D | 43 | ND | - | - | - | ok |
| JACHYMOV | 10C | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 11B | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 12C | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 6A | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 7B | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 7D | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 9B | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JACHYMOV | 9D | 40 | 300°-60°/15 dB | ok | - | - | ok |
| JESENIK | 10D | 40 | 340°-40°/10 dB | - | - | - | ok |
| JESENIK | 11B | 40 | 340°-40°/10 dB | - | - | - | ok |
| JESENIK | 12D | 43 | 340°-40°/10 dB | - | ok | - | ok |
| JESENIK | 7A | 40 | 340°-40°/10 dB | - | - | - | ok |
| JESENIK | 7C | 40 | 340°-40°/10 dB | - | - | - | ok |
| JESENIK | 9B | 40 | 340°-40°/10 dB | - | - | - | ok |
| JESENIK | 9C | 40 | 340°-40°/10 dB | - | - | - | ok ¹ |
| JESENIK | 9D | 40 | 340°-40°/10 dB | - | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|-----------|------|--------|--------------------------------------|----|----|----|-----------------|
| JIHLAVA | 10C | 43 | ND | - | - | - | no |
| JIHLAVA | 10D | 43 | ND | - | - | ok | ok |
| JIHLAVA | 12D | 43 | ND | - | - | ok | ok |
| JIHLAVA | 6B | 43 | ND | - | - | - | ok ² |
| JIHLAVA | 6C | 43 | ND | - | - | - | ok |
| JIHLAVA | 7B | 43 | ND | - | - | - | ok |
| JIHLAVA | 9B | 43 | ND | - | - | - | ok |
| JIHLAVA | 9D | 43 | ND | - | - | - | ok |
| LIBEREC | 10C | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 11B | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 12C | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 7B | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 7C | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 7D | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 9B | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| LIBEREC | 9D | 40 | 330°/3 dB, 340°/6 dB, 350°-40°/10 dB | ok | - | - | ok |
| MIKULOV | 10A | 40 | 130°-190°/6 dB | - | - | - | ok |
| MIKULOV | 10D | 40 | 130°-190°/6 dB | - | - | - | ok |
| MIKULOV | 12A | 40 | 60°-120°/3 dB, 130°-190°/6 dB | - | - | - | ok ³ |
| MIKULOV | 12D | 40 | 130°-190°/6 dB | - | ok | - | ok |
| MIKULOV | 7A | 40 | 130°-190°/6 dB | - | - | - | ok |
| MIKULOV | 7C | 40 | 130°-190°/6 dB | - | - | - | ok |
| MIKULOV | 9B | 40 | 130°-190°/6 dB | - | - | - | ok |
| MIKULOV | 9D | 40 | 130°-190°/6 dB | - | - | - | ok |
| OSTRAVA | 10D | 43 | 350°-50°/6 dB | - | - | - | ok |
| OSTRAVA | 11D | 43 | 350°-50°/6 dB | - | - | - | ok |
| OSTRAVA | 12B | 43 | 350°-50°/6 dB | - | - | - | ok |
| OSTRAVA | 12D | 43 | 350°-50°/6 dB | - | ok | - | ok |
| OSTRAVA | 5A | 43 | 350°-50°/6 dB | - | - | - | ok |
| OSTRAVA | 9B | 43 | 350°-50°/6 dB | - | - | - | ok |
| OSTRAVA | 9C | 43 | 350°-50°/6 dB | - | - | - | ok ¹ |
| OSTRAVA | 9D | 43 | 350°-50°/6 dB | - | - | - | ok |
| PARDUBICE | 10D | 43 | ND | - | - | - | ok |
| PARDUBICE | 11A | 43 | ND | - | - | ok | ok |
| PARDUBICE | 11B | 43 | ND | - | - | - | ok |
| PARDUBICE | 12C | 43 | ND | - | - | ok | ok |
| PARDUBICE | 7D | 43 | ND | - | - | - | ok |
| PARDUBICE | 9A | 43 | ND | - | - | - | ok |
| PARDUBICE | 9B | 43 | ND | - | - | - | ok |
| PARDUBICE | 9D | 43 | ND | - | - | - | ok |
| PLZEN | 10C | 43 | ND | ok | - | - | ok |
| PLZEN | 11B | 43 | ND | ok | - | - | ok |
| PLZEN | 11C | 43 | ND | ok | - | - | ok |
| PLZEN | 12B | 43 | ND | ok | - | - | ok |
| PLZEN | 12C | 43 | ND | ok | - | - | ok |
| PLZEN | 6B | 43 | ND | ok | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|----------------|------|--------|-----------------------------------|----|---|---|----|
| PLZEN | 9B | 43 | ND | ok | - | - | ok |
| PLZEN | 9D | 43 | ND | ok | - | - | ok |
| PLZEN RADEC | 10C | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 11B | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 11C | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 12B | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 12C | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 6B | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 9B | 40 | ND | ok | - | - | ok |
| PLZEN RADEC | 9D | 40 | ND | ok | - | - | ok |
| PRAHA | 11B | 43 | ND | ok | - | - | ok |
| PRAHA | 11D | 43 | ND | ok | - | - | ok |
| PRAHA | 12C | 43 | ND | ok | - | - | ok |
| PRAHA | 8B | 43 | ND | ok | - | - | ok |
| PRAHA | 8C | 43 | ND | ok | - | - | ok |
| PRAHA | 8D | 43 | ND | ok | - | - | ok |
| PRAHA | 9B | 43 | ND | ok | - | - | ok |
| PRAHA | 9D | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 11B | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 11D | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 12C | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 5C | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 6A | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 6B | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 6C | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 6D | 43 | ND | ok | - | - | ok |
| PRAHA MESTO | 9D | 43 | ND | ok | - | - | ok |
| SUSICE | 10C | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 11B | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 11C | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 12B | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 12C | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 6B | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 9A | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 9B | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 9C | 40 | 190°-250°/6 dB | ok | - | - | ok |
| SUSICE | 9D | 40 | 190°-250°/6 dB | ok | - | - | ok |
| TRUTNOV | 10B | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 11B | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 11D | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 12C | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 7C | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 7D | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 9B | 40 | 320°-80°/15 dB | ok | - | - | ok |
| TRUTNOV | 9D | 40 | 320°-80°/15 dB | ok | - | - | ok |
| USTI NAD LABEM | 10C | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|-------------------|------|--------|-----------------------------------|----|----|---|-----------------|
| USTI NAD LABEM | 11B | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| USTI NAD LABEM | 12C | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| USTI NAD LABEM | 7B | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| USTI NAD LABEM | 7D | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| USTI NAD LABEM | 9B | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| USTI NAD LABEM | 9D | 40 | 350°/3 dB; 0°/6 dB, 10°-70°/10 dB | ok | - | - | ok |
| VALASSKE MEZIRICI | 10D | 40 | 110°-160°/6 dB | - | - | - | ok |
| VALASSKE MEZIRICI | 11D | 40 | 110°-160°/6 dB | - | - | - | ok |
| VALASSKE MEZIRICI | 12B | 40 | 110°-160°/6 dB | - | - | - | ok |
| VALASSKE MEZIRICI | 12D | 40 | 110°-160°/6 dB | - | ok | - | ok |
| VALASSKE MEZIRICI | 5A | 37 | 110°-160°/6 dB | - | - | - | ok |
| VALASSKE MEZIRICI | 9B | 40 | 110°-160°/6 dB | - | - | - | ok |
| VALASSKE MEZIRICI | 9C | 40 | 110°-160°/6 dB | - | - | - | ok ¹ |
| VALASSKE MEZIRICI | 9D | 40 | 110°-160°/6 dB | - | - | - | ok |
| VOTICE | 10C | 40 | ND | ok | - | - | ok |
| VOTICE | 11B | 40 | ND | ok | - | - | ok |
| VOTICE | 12C | 40 | ND | ok | - | - | ok |
| VOTICE | 8B | 40 | ND | ok | - | - | ok |
| VOTICE | 8D | 40 | ND | ok | - | - | ok |
| VOTICE | 9A | 40 | ND | ok | - | - | ok |
| VOTICE | 9B | 40 | ND | ok | - | - | ok |
| VOTICE | 9D | 40 | ND | ok | - | - | ok |
| ZLIN | 10D | 43 | ND | - | - | - | ok |
| ZLIN | 12D | 43 | ND | - | ok | - | ok |
| ZLIN | 7A | 43 | ND | - | - | - | ok |
| ZLIN | 7C | 43 | ND | - | - | - | ok |
| ZLIN | 5A | 40 | ND | - | - | - | ok |
| ZLIN | 9B | 43 | ND | - | - | - | ok |
| ZLIN | 9C | 43 | ND | - | - | - | ok ¹ |
| ZLIN | 9D | 43 | ND | - | - | - | ok |

| CZE Vysílač s ¹ | blok | ERPmax | Diagram AS |
|----------------------------|------|--------|--------------------------------|
| JESENÍK | 9C | 40 | 340°-40°/10 dB, 100°-150°/3 dB |
| OSTRAVA | 9C | 43 | 350°-50°/6 dB, 100°-170°/4 dB |
| VALASSKE MEZIRICI | 9C | 40 | 90°-170°/10 dB |
| ZLIN | 9C | 43 | 80°-150°/10 dB |

| CZE Vysílač s ³ | blok | ERPmax | Diagram AS |
|----------------------------|------|--------|--------------------------------|
| BRNO HADY | 12A | 40 | 70°-130°/7 dB |
| MIKULOV | 12A | 40 | 60°-120°/10 dB, 130°-190°/6 dB |

SVK vysílače:

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|-------------------|------|--------|----------------|----|----|---|-----------------|
| BANSKA BYSTRICA | 10B | 43 | ND | ok | - | - | ok |
| BANSKA BYSTRICA | 11C | 43 | ND | ok | - | - | ok |
| BANSKA BYSTRICA | 12A | 43 | ND | - | - | - | ok |
| BANSKA BYSTRICA | 9A | 43 | ND | - | - | - | ok |
| BANSKA BYSTRICA | 9B | 43 | ND | - | - | - | ok ¹ |
| BANSKA BYSTRICA | 9C | 43 | ND | - | - | - | ok |
| BANSKA BYSTRICA | 9D | 43 | ND | - | - | - | ok ¹ |
| BANSKA STIAVNICA | 10C | 43 | ND | - | - | - | ok |
| BANSKA STIAVNICA | 11A | 43 | ND | - | ok | - | ok |
| BANSKA STIAVNICA | 12A | 40 | ND | - | - | - | ok |
| BANSKA STIAVNICA | 6A | 43 | ND | - | - | - | ok |
| BANSKA STIAVNICA | 6B | 43 | ND | - | - | - | ok |
| BANSKA STIAVNICA | 6C | 43 | ND | - | - | - | ok ² |
| BANSKA STIAVNICA | 6D | 43 | ND | - | ok | - | ok |
| BARDEJOV | 10C | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 12B | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 12C | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 5A | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 5B | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 5C | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BARDEJOV | 5D | 43 | 290°-20°/6 dB | ok | - | - | ok |
| BORSKY MIKULAS | 10C | 40 | ND | - | - | - | ok |
| BORSKY MIKULAS | 11A | 40 | ND | - | ok | - | ok |
| BORSKY MIKULAS | 12C | 40 | ND | - | ok | - | ok |
| BORSKY MIKULAS | 6A | 40 | ND | - | - | - | ok |
| BORSKY MIKULAS | 6B | 40 | ND | - | - | - | ok |
| BORSKY MIKULAS | 6C | 40 | ND | - | - | - | ok ² |
| BORSKY MIKULAS | 6D | 40 | ND | - | ok | - | ok |
| BRATISLAVA-KAMZIK | 10C | 43 | 200°-260°/3 dB | - | - | - | ok |
| BRATISLAVA-KAMZIK | 11A | 43 | 200°-260°/3 dB | - | ok | - | ok |
| BRATISLAVA-KAMZIK | 12C | 43 | 200°-260°/3 dB | - | ok | - | ok |
| BRATISLAVA-KAMZIK | 6A | 43 | 200°-260°/3 dB | - | - | - | ok |
| BRATISLAVA-KAMZIK | 6B | 43 | 200°-260°/3 dB | - | - | - | ok |
| BRATISLAVA-KAMZIK | 6C | 43 | 200°-260°/3 dB | - | - | - | ok ² |
| BRATISLAVA-KAMZIK | 6D | 43 | 200°-260°/3 dB | - | ok | - | ok |
| CADCA | 12A | 40 | ND | - | - | - | ok |
| CADCA | 9A | 40 | ND | - | - | - | ok |
| CADCA | 5C | 40 | ND | - | - | - | ok |
| CADCA | 8A | 40 | ND | - | ok | - | ok |
| CADCA | 8B | 40 | ND | - | - | - | ok |
| CADCA | 8C | 40 | ND | - | - | - | ok |
| CADCA | 8D | 40 | ND | - | - | - | ok |
| KOSICE | 10C | 43 | ND | ok | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|----------------------|------|--------|---------------------------------------|----|----|----|-----------------|
| KOSICE | 12B | 43 | ND | ok | - | - | ok |
| KOSICE | 12C | 43 | ND | ok | - | - | ok |
| KOSICE | 5A | 43 | ND | ok | - | - | ok |
| KOSICE | 5B | 43 | ND | ok | - | - | ok |
| KOSICE | 5C | 43 | ND | ok | - | - | ok |
| KOSICE | 5D | 43 | ND | ok | - | - | ok |
| LUCENEC | 10B | 43 | 150°-200°/6 dB | ok | - | - | ok |
| LUCENEC | 11C | 43 | 150°-200°/6 dB | ok | - | - | ok |
| LUCENEC | 12A | 43 | 150°-200°/6 dB | - | - | - | ok |
| LUCENEC | 9A | 43 | 150°-200°/6 dB | - | - | - | ok |
| LUCENEC | 9B | 43 | 150°-200°/6 dB | - | - | - | ok |
| LUCENEC | 9C | 43 | 150°-200°/6 dB | - | - | - | ok |
| LUCENEC | 9D | 43 | 150°-200°/6 dB | - | - | - | ok |
| MEDZEV | 10C | 40 | ND | ok | - | - | ok |
| MEDZEV | 12B | 40 | ND | ok | - | - | ok |
| MEDZEV | 12C | 40 | ND | ok | - | - | ok |
| MEDZEV | 5A | 40 | ND | ok | - | - | ok |
| MEDZEV | 5B | 40 | ND | ok | - | - | ok |
| MEDZEV | 5C | 40 | ND | ok | - | - | ok |
| MEDZEV | 5D | 40 | ND | ok | - | - | ok |
| MODRY KAMEN | 10B | 43 | ND | ok | - | - | ok |
| MODRY KAMEN | 11C | 43 | ND | ok | - | - | ok |
| MODRY KAMEN | 12A | 43 | ND | - | - | - | ok |
| MODRY KAMEN | 9A | 43 | ND | - | - | - | ok |
| MODRY KAMEN | 9B | 43 | ND | - | - | - | ok ¹ |
| MODRY KAMEN | 9C | 43 | ND | - | - | - | ok |
| MODRY KAMEN | 9D | 43 | ND | - | - | - | ok ¹ |
| NAMESTOVO | 12A | 43 | ND | - | - | - | ok |
| NAMESTOVO | 9A | 43 | ND | - | - | - | ok |
| NAMESTOVO | 5C | 43 | ND | - | - | - | ok |
| NAMESTOVO | 8A | 43 | ND | - | ok | - | ok |
| NAMESTOVO | 8B | 43 | ND | - | - | - | ok |
| NAMESTOVO | 8C | 43 | ND | - | - | - | ok |
| NAMESTOVO | 8D | 43 | ND | - | - | - | ok |
| NITRA | 10C | 43 | ND | - | - | - | ok |
| NITRA | 11A | 43 | ND | - | ok | - | ok |
| NITRA | 12C | 43 | ND | - | ok | - | ok |
| NITRA | 6A | 43 | ND | - | - | - | ok |
| NITRA | 6B | 43 | ND | - | - | - | ok |
| NITRA | 6C | 43 | ND | - | - | - | ok ² |
| NITRA | 6D | 43 | ND | - | ok | - | ok |
| NOVE MESTO NAD VAHOM | 10C | 43 | 280°/12 dB; 290°-20°/15 dB; 30°/12 dB | - | - | - | ok |
| NOVE MESTO NAD VAHOM | 11A | 43 | 280°/12 dB; 290°-20°/15 dB; 30°/12 dB | - | - | ok | ok |
| NOVE MESTO NAD VAHOM | 12C | 43 | 280°/12 dB; 290°-20°/15 dB; 30°/12 dB | - | - | ok | ok |
| NOVE MESTO NAD VAHOM | 6A | 43 | 280°-30°/10 dB | - | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|-------------------------|------|--------|---------------------------------------|----|----|---|-----------------|
| NOVE MESTO NAD VAHOM | 6B | 43 | 280°-30°/10 dB | - | - | - | ok |
| NOVE MESTO NAD VAHOM | 6C | 43 | 280°/12 dB; 290°-20°/15 dB; 30°/12 dB | - | - | - | ok ² |
| NOVE MESTO NAD VAHOM | 6D | 43 | 280°-30°/10 dB | - | ok | - | ok |
| POPRAD | 10B | 43 | 330°-60°/20 dB | ok | - | - | ok |
| POPRAD | 10D | 43 | 110°-230°/20 dB | - | - | - | ok |
| POPRAD | 11C | 43 | ND | ok | - | - | ok |
| POPRAD | 12A | 43 | ND | - | - | - | ok |
| POPRAD | 9A | 43 | ND | - | - | - | ok |
| POPRAD | 9B | 43 | ND | - | - | - | ok ¹ |
| POPRAD | 9C | 43 | ND | - | - | - | ok |
| POPRAD | 9D | 43 | ND | - | - | - | ok ¹ |
| RIMAVSKA SOBOTA PALASKA | 10B | 43 | ND | ok | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 11C | 43 | ND | ok | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 12A | 43 | ND | - | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 9A | 43 | ND | - | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 9B | 43 | ND | - | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 9C | 43 | ND | - | - | - | ok |
| RIMAVSKA SOBOTA PALASKA | 9D | 43 | ND | - | - | - | ok |
| ROZNAVA | 10B | 40 | 130°-180°/3 dB | ok | - | - | ok |
| ROZNAVA | 11C | 40 | 130°-180°/3 dB | ok | - | - | ok |
| ROZNAVA | 12B | 40 | 130°-180°/3 dB | - | ok | - | ok |
| ROZNAVA | 9A | 40 | 130°-180°/3 dB | - | - | - | ok |
| ROZNAVA | 9B | 40 | 130°-180°/3 dB | - | - | - | ok |
| ROZNAVA | 9C | 40 | 130°-180°/3 dB | - | - | - | ok |
| ROZNAVA | 9D | 40 | 130°-180°/3 dB | - | - | - | ok |
| RUZOMBEROK | 12A | 43 | ND | - | - | - | ok |
| RUZOMBEROK | 9A | 43 | ND | - | - | - | ok |
| RUZOMBEROK | 5C | 43 | ND | - | - | - | ok |
| RUZOMBEROK | 8A | 43 | ND | - | ok | - | ok |
| RUZOMBEROK | 8B | 43 | ND | - | - | - | ok |
| RUZOMBEROK | 8C | 43 | ND | - | - | - | ok |
| RUZOMBEROK | 8D | 43 | ND | - | - | - | ok |
| SNINA | 10C | 43 | ND | ok | - | - | ok |
| SNINA | 12B | 43 | ND | ok | - | - | ok |
| SNINA | 12C | 43 | ND | ok | - | - | ok |
| SNINA | 5A | 43 | ND | ok | - | - | ok |
| SNINA | 5B | 43 | ND | ok | - | - | ok |
| SNINA | 5C | 43 | ND | ok | - | - | ok |
| SNINA | 5D | 43 | ND | ok | - | - | ok |
| STARÁ LUBOVNA | 10D | 43 | ND | - | - | - | ok |
| STARÁ LUBOVNA | 11C | 43 | ND | ok | - | - | ok |
| STARÁ LUBOVNA | 12B | 43 | ND | - | ok | - | ok |
| STARÁ LUBOVNA | 9A | 43 | ND | - | - | - | ok |
| STARÁ LUBOVNA | 9B | 43 | ND | - | - | - | ok |
| STARÁ LUBOVNA | 9C | 43 | ND | - | - | - | ok |

| Vysílač | blok | ERPmax | Diagram AS | A | B | C | D |
|----------------|------|--------|--|---|----|----|-----------------|
| STARA LUBOVNA | 9D | 43 | ND | - | - | - | ok |
| STUROVO | 10C | 40 | 70°-220°/9 dB | - | - | - | ok |
| STUROVO | 11A | 40 | 70°-220°/9 dB | - | ok | - | ok |
| STUROVO | 12C | 40 | 70°-220°/9 dB | - | ok | - | ok |
| STUROVO | 6A | 40 | 70°-220°/9 dB | - | - | - | ok |
| STUROVO | 6B | 40 | 70°-220°/9 dB | - | - | - | ok |
| STUROVO | 6C | 40 | 70°-220°/9 dB | - | - | - | ok ² |
| STUROVO | 6D | 40 | 70°-220°/9 dB | - | ok | - | ok |
| TRENCIN | 12C | 43 | 260°-280°/6 dB; 290°-310°/8 dB; 320°-10°/6dB | - | - | ok | ok |
| TRENCIN | 9A | 43 | 260°-10°/6 dB | - | - | - | ok |
| TRENCIN | 5C | 43 | 260°-10°/6 dB | - | - | - | ok |
| TRENCIN | 8A | 43 | 260°-10°/6 dB | - | ok | - | ok |
| TRENCIN | 8B | 43 | 260°-10°/6 dB | - | - | - | ok |
| TRENCIN | 8C | 43 | 260°-10°/6 dB | - | - | - | ok |
| TRENCIN | 8D | 43 | 260°-10°/6 dB | - | - | - | ok |
| UHROVEC | 10C | 43 | ND | - | - | - | ok |
| UHROVEC | 11A | 43 | ND | - | ok | - | ok |
| UHROVEC | 12C | 43 | ND | - | ok | - | ok |
| UHROVEC | 6A | 43 | ND | - | - | - | ok |
| UHROVEC | 6B | 43 | ND | - | - | - | ok |
| UHROVEC | 6C | 43 | ND | - | - | - | ok ² |
| UHROVEC | 6D | 43 | ND | - | ok | - | ok |
| ZILINA-KRIZAVA | 12A | 43 | ND | - | - | - | ok |
| ZILINA-KRIZAVA | 9A | 43 | ND | - | - | - | ok |
| ZILINA-KRIZAVA | 5C | 43 | ND | - | - | - | ok |
| ZILINA-KRIZAVA | 8A | 43 | ND | - | ok | - | ok |
| ZILINA-KRIZAVA | 8B | 43 | ND | - | - | - | ok |
| ZILINA-KRIZAVA | 8C | 43 | ND | - | - | - | ok |
| ZILINA-KRIZAVA | 8D | 43 | ND | - | - | - | ok |

| SVK Vysílač s ¹ | blok | ERPmax | Diagram AS |
|----------------------------|------|--------|-----------------|
| BANSKA BYSTRICA | 9B | 43 | 270°-350°/13 dB |
| MODRY KAMEN | 9B | 43 | 280°-350°/6 dB |
| POPRAD | 9B | 43 | 260°-310°/10 dB |
| BANSKA BYSTRICA | 9D | 43 | 270°-350°/13 dB |
| MODRY KAMEN | 9D | 43 | 280°-350°/6 dB |
| POPRAD | 9D | 43 | 260°-310°/10 dB |